BUKH DV 36 ME - TECHNICAL DATA



When BUKH's 36 HP marine diesel was introduced some years ago, it created something of a sensation in the marine engine industry. The best marine diesel in the world it was called because it was so quiet and smooth.

- It is still the engine that has the lowest noise level.
- It is still completely free from vibrations.
- It has a very low fuel consumption.
- It is still a thorough marine diesel created for use in saltwater environment.

With a DV 36 the larger sailing yachts, motor sailors and displacement boats can get the same comfort as boats with smaller BUKH engines.

Max intermediate rating at: 66 rpm (4000 rpm) 39 HP (28.7 kW)

Continuous rating (DIN 6270B) at:

60 rps (3600 rpm) 36 HP (26.5 kW) 50 rps (3000 rpm) 34 HP (25.0 kW) 30 HP (22.0 kW) 40 rps (2400 rpm)

Reverse-reduction gear ratio 3:1

Engine rotation (looking forward) Anti-clockwise Propeller rotation (looking forward) Clockwise

Number of cylinders 3

Bore x stroke 3.35 x 3.35 in (85 x 85 mm)

Swept volume 88.29 cu in (1447 cm³)

Operating principle 4-stroke, diesel Cooling system (standard) Direct seawater

Max inclination, fore and aft 15° 30° Max heel, continuous

Fuel consumption, full load 60 rps 2.11 galls/h (8 l/h) Fuel consumption, cruising 1.24 galls/h (4.7 l/h) Electric starter motor 12V - 1.74 HP (1.3 kW) 14V, 50Amp, 700W Charging alternator 584 lbs (265 kg) Net weight Net weight including freshwater cooling 628 lbs (285 kg)

STANDARD EQUIPMENT:

Reverse-reduction gear

Wet sump lubrication system

Pre and main (full flow) filter

Bosch distributor injection pump with automatic timing device and governor

Automatic ventilation of fuel system

Seawater cooling with thermostat

Watercooled exhaust manifold

Lubricating oil cooler

Air inlet filter and silencer

Fuel lift pump

Electric start and charging alternator

Remote operating panel with: Charging light, luboil pressure warning light, cooling water temperature warning light, key switch for start and stop and audible warning

Fittings for remote control

Zinc anode protection

Standard set of tools

Drain pump for luboil

Flexible engine mounts

Watercooled exhaust bend

Operating manual

As Bukh Diesel is always endeavoring to improve the engines, specifications mentioned are subject to alterations without previous notice.











